Updates to the Annexes of the ASEAN Cosmetic Directive (ACD) adopted at 29th ACC Meeting

- 1. The following information is to update the industry on the decisions adopted at the ACC Meeting.
- 2. The industry may provide your feedback on the implementation dates by 30 November 2018.
- 3. The entry number may be subject to further changes.

Summary of changes to cosmetic ingredient lists at 29th ACSB Meeting (Oct 2018)

Type of change	Annex of the ACD	Entry No. /Ref. No.	Description of changes	Reference table	Implementation date
Amendment	Annex II	1067	The entry was amended to include "its salts" and reflected as "4,4'-Carbonimidoylbis[N,N-dimethylaniline] and its salts"	Table 1	-
Amendment	Annex II	1129	The entry was deleted and replaced with with "Moved or Deleted (See Ref. No. 1067)"	Table 1	-
Amendment	Annex II	1130	The entry was deleted and replaced with with "Moved or Deleted (See Ref. No. 195)"	Table 1	-
New Entry	Annex VII	23a	Added the nano form of 2,2'-Methylene-bis(6-(2H-benzotriazol-2-yl)-4-(tetramethyl-butyl)-1,1,3,3-phenol);2,2'-Methylenebis(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (also known as Methylene Bis BenzotriazolylTetramethylbutylphenol or MBBT) and the footnote 5.	Table 2	1 st Dec 2019

Table 1: Changes to List of Prohibited Ingredients (Annex II)

Substance	CAS Number	Ref. No
4,4'-Carbonimidoylbis[N,N-dimethylaniline] and its salts	492-80-8	1067
Moved or Deleted (See Ref. No. 1067)	-	1129
Moved or Deleted (See Ref. No. 195)	-	1130

Table 2: Changes to List of UV filters which cosmetic products may contain (Annex VII)

Reference number	Substance	Maximum authorised concentration	Other limitations and requirements	Conditions of use and warnings which must be printed on the label
a	b	С	d	e
23a	2,2'-Methylene-bis(6-(2H-benzotriazol-2-yl)-4-(tetramethyl-butyl)-1,1,3,3-phenol);2,2'-Methylenebis(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol)(Methylene Bis-Benzotriazolyl Tetramethylbutyl phenol (nano)/MBBT (nano))	10%(5)	Not to be used in applications that may lead to exposure of the end user's lungs by inhalation. Only nanomaterials having the following characteristics are allowed: - Purity ≥ 98.5 %, with 2,2′-methylene-bis-(6(2H-benzotriazol-2-yl)-4-(isooctyl)phenol) isomer fraction not exceeding 1.5 %; - Solubility < 5 ng/L in water at 25 °C; - Partition coefficient (Log Pow): 12.7 at 25 °C; - Uncoated; - Median particle size D50 (50% of number below this diameter): ≥ 120 nm of mass distribution and/or ≥ 60 nm of number size distribution.	

^{5.} In case of combined use of Methylene Bis-Benzotriazolyl Tetramethylbutylphenol and Methylene Bis-Benzotriazolyl Tetramethylbutylphenol (nano), the sum shall not exceed the limit given in column c.